I49.89:82-/471/map D11

VALDOSTA, GEORGIA–FLORIDA

30 X 60 MINUTE SERIES (TOPOGRAPHIC)

MAP D11

MMS 85-0011
FWS/OBS-82/47.1

Valdosta

FLORIDA ECOLOGICAL ATLAS

OIL, GAS AND MINERAL RESOURCES



ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:
- A. BIOLOGICAL RESOURCES
- B. SOCIOECONOMIC FEATURES
- C. SOILS AND LANDFORMS
- D. OIL, GAS AND MINERALS
- E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
25,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1982 from


THOMAS CO
BROOKS CO
GEORGIA
FLORIDA
Thomasville
Boston
Barwick
Pavo
Coolidge
Whigham
Meigs
Metcalf
Bainbridge
Climax
Iron City
Cairo
Whitehead
Mud Swamp
Lake Park
Valdosta
Quitman
Moultrie
Ochlocknee River
Little River
Withlacoochee River
Okapilco Creek
Spring Creek
Pine Log Creek
Attapulgus Creek
Swamp Creek
Bostwick Creek
Boggy Gut
Boggy Gut Creek
Bear Creek
Bear Creek Swamp
Bear Creek Canal
Bear Creek Lake
Bear Creek Pond
Bear Creek Church
Bear Creek Cemetery
Bear Creek Trail
Bear Creek Road
Bear Creek Bridge
Bear Creek Ford
Bear Creek Landing
Bear Creek Mill
Bear Creek Store
Bear Creek Post Office
Bear Creek Schoolhouse
Bear Creek Baptist Church
Bear Creek Methodist


THOMAS CO
JEFFERSON CO
GEORGIA
FLORIDA
BROOKS CO
MADISON CO
HAMILTON CO
Lake Microsukee
Monticello
Jefferson
Greenville
Madison
Jasper
Live Oak
Suwannee River
Withlacoochee River
Aucilla River
Ochlockonee River
Econfina River
Steinhatchee River
Gulf of Mexico
Abandoned Location
Oil Well (Producing)
Abandoned Oil Well
Plugged and Abandoned Oil Well
SURFACE MINERAL DEPOSITS
Sand and Gravel
Gravel
Clay
Limestone
Dolomite
Limestone and Dolomite
Peat
Shell Bed
(Mapped areas show generalized location of known surface resources in the study area.)
STUDY AREA BOUNDARY
Offshore
Inland (County)

SCALE 1:100 000

KILOMETRES 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

1 CENTIMETER ON THE MAP REPRESENTS 1 KILOMETER ON THE GROUND

CONTOUR INTERVAL 5 METERS

0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 11000 12000 METERS

MILES 0 1 2 3 4 5 6 7 8 9 10 11

0 5000 10000 15000 20000 25000 30000 35000 40000 45000 50000 55000 60000 65000 FEET

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE, DIVISION OF BIOLOGICAL SERVICES, NATIONAL COASTAL ECOSYSTEMS TEAM (FWS, OBS - EC 47) AND THE MINERALS MANAGEMENT SERVICE FOR COASTAL AREAS POTENTIALLY AFFECTED BY OIL AND GAS ACTIVITIES. THE ATLAS WAS USED TO EVALUATE CHANGE AND TO RESOLVE CONFLICTS AMONG LAND USES, FISH AND WILDLIFE REQUIREMENTS, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY AND PRODUCTIVITY. THE ATLAS COVERS THE FLORIDA COASTAL AREA FROM THE OKALOOSA-WALTON COUNTY LINE ON THE NORTHERN GULF, FRANKLIN-WAKULLA COUNTY LINE ON THE NORTHERN GULF, AND NASSAU COUNTY ON THE ATLANTIC OFFSHORE APPROXIMATELY 10 MILES. THERE IS NO ATTEMPT, IN THE DESIGN OF THE ATLAS, TO DEFINE THE JURISDICTIONAL BOUNDARIES OF ANY FEDERAL, STATE, OR LOCAL GOVERNMENT TO ESTABLISH THE GEOGRAPHICAL SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS AT VARIOUS SCALES. USERS ARE CAUTIONED TO THE FACT THAT INFORMATION CONTAINED GENERALIZES LOCATIONS OF RESOURCES AND OTHER MAPPED FEATURES. DO NOT ATTEMPT TO USE THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

Oil & Gas: Oil Well Location Map Series of Florida. Florida Bureau of Geology. 1981
Faults: Vernon, R.O. et al. 1951
Florida Gas Transmission Co. Map. 1983
United Gas Pipeline Co. Map. 1983

SURFACE MINERAL DEPOSITS Environmental Geology Series of Florida. Florida Bureau of Geology. 1979-1981.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

VALDOSTA, GEORGIA–FLORIDA
N3030 – W8300/30 X 60
1981



(Mapped areas show generalized location of the various surface resources in the study area.)

STUDY AREA BOUNDARY
Offshore
Inland (County)
Inland (State)

REPRODUCED FROM BEST AVAILABLE COPY